

RESPIRONICS®



**ALL THE MAKINGS OF A MEGA STAR  
WITHOUT THE HIGH MAINTENANCE.**

**PREMIERING THE 31-POUND, LOW-MAINTENANCE EVERFLO™ —  
THE OXYGEN CONCENTRATOR THAT COULD GENERATE BLOCKBUSTER SAVINGS.**

800.345.6443

EVERFLO.RESPIRONICS.COM

724.387.4000

# THE RESPIRONICS EVERFLO™

EverFlo delivers a great performance and demands so little in return. It's small, quiet and designed to be easier and less expensive to operate. Plus, EverFlo reduces scheduled maintenance visits. So now you can control oxygen therapy costs and deliver all the features you and your patients want with one **31-pound concentrator** that's bound to be the star of your business.

## A LOW-MAINTENANCE STAR MAKES YOUR LIFE EASIER.

EverFlo was designed from the ground up to deliver consistent, trouble-free performance and **reduce overall maintenance costs**. A recessed flow meter and a metal cannula connector mean it's less prone to accidental breakage. Since EverFlo is quiet and has an easy-to-use humidifier bottle connection, you may even notice that you're responding to fewer calls from patients. And there are only two filters, which means you can spend less time and money on regular maintenance or repair calls with EverFlo.

## SLIM, ATTRACTIVE AND EASY TO WORK WITH.

One of the biggest factors that separate EverFlo from the competition is its size. At just 31 pounds, EverFlo is **small and light** – translating into lower shipping costs, lower storage costs and reduced risk of injury.

## A HIT WITH YOUR MOST IMPORTANT AUDIENCE.

Oxygen therapy patients face enough restrictions, which is why we designed the EverFlo to be patient-friendly. It's small, quiet, **uses less electricity and produces less heat**. EverFlo features a compact, non-medical design that fits a patient's surroundings. And with no patient filter and a straightforward humidifier bottle connection, it's simple for patients to use.

**MOLDED HANDLE**  
that's easy to pick up  
and transport with  
one or both hands

### HUMIDIFIER BOTTLE HOLDER

compatible with all bottle styles  
and features a Velcro® closure  
(on back side of unit)



### INTERNAL TUBING STORAGE

keeps tubing conveniently  
available for use  
(on back side of unit)



### METAL CANNULA CONNECTOR

for greater durability



### INTERFACE PANEL

with on/off switch and  
alarm indicators



### RECESSED FLOW METER

reduces the  
risk of  
breakage





## EVERFLO HAS THE FEATURES YOU WANT.

Lightweight and easy to transport – just 31 pounds.

One of the quietest concentrators on the market (45dbA).

No provider filter change for two years.

Available with or without OPI.

5-liter capacity.

## EVERFLO DELIVERS THE FEATURES PATIENTS WANT.

Compact, ergonomic design takes up less space, is easier to move.

No patient filter maintenance.

Consumes less power and produces less heat.

Easy-to-use humidifier bottle connection.

Non-medical design.

**THE RESPIRONICS FREEDOM SERIES™ –  
A NEW FAMILY OF PRODUCTS. AND A WHOLE  
NEW WAY TO LOOK AT OXYGEN THERAPY.**

The EverFlo Oxygen Concentrator is part of an entire family of products designed to deliver more freedom – freedom from worry, freedom from discomfort and freedom from complicated maintenance. The Respiroics Freedom Series frees you and your patients from some of the more arduous aspects of oxygen therapy, so you both can go on with your lives.

## PRODUCT SPECIFICATIONS

|  |   |
|--|---|
| Input Voltage                                  | 120 VAC +/- 10%                                       |
| Input Frequency                                | 60Hz  |
| Average Power Consumption                      | 350 Watts   |
| Oxygen Concentration* (at 5 LPM)               | 93% (+/- 3%)  |
| Liter Flow                                     | 0.5-5 liters per minute                               |
| Weight   | 31 lbs (14 kg)  |
| Sound Level                                    | 45 dBA typical  |
| Dimensions (HxWxD)                             | 23 in (584 mm) H, 15 in (381 mm) W, 9.5 in (241 mm) D |
| OPI (Oxygen Percentage Indicator) Alarm Levels | Low Oxygen: 82%, Very Low Oxygen: 70%                 |
| Operating Temperature                          | 55°F to 90°F (12°C to 32°C)                           |
| Storage/Transport Humidity                     | -30°F to 160°F (-34°C to 71°C) up to 95% RH           |
| Operating Humidity                             | Up to 95% relative humidity                           |
| Outlet Pressure                                | 5.5 PSI   |
| Operating Altitude                             | 0 to 7,500 ft (0 to 2,286 m)                          |

\*Device operation above or outside of the specified voltage, LPM, temperature, humidity and/or altitude values may decrease oxygen concentration levels.

## EVERFLO™ ORDERING INFORMATION

| CONCENTRATOR SYSTEMS   | PART NUMBER |
|--|-------------|
| EverFlo Oxygen Concentrator  | 1020000     |
| EverFlo Oxygen Concentrator with OPI (Oxygen Percentage Indicator) | 1020001     |
| <b>CONCENTRATOR ACCESSORIES</b>                                    |             |
| Compressor Intake Filter   | 1038831     |
| Micro Disk Filter  | 520         |
| Humidifier Connector Tube  | 1039642     |
| Stand-alone Pediatric Flow Meter                                   | H537-1      |
| Integrated Pediatric Flow Meter                                    | H644        |
| Flow Meter Locking Kit   | 528         |
| Caster Brake Kit   | H649        |
| EverFlo User Manual in English, French, Spanish and Portuguese     | 1041063     |
| EverFlo Service Manual   | 1039055     |
| <b>EXTENDED WARRANTY</b>   |             |
| Two-Year Extended Warranty with Compressor                         | 1038571     |

**RESPIRONICS®**

Customer Service: 800-345-6443 or 724-387-4000

Respironics Europe, Africa, Middle East: +33-1-47-52-30-00

Respironics Asia Pacific: +852-3194-2280

everflo.respironics.com

CAUTION: U.S. federal law restricts this device to sale by or on the order of a physician.

Respironics is a registered trademark, and EverFlo is a trademark, of Respironics, Inc. and its affiliates.

©2007 Respironics, Inc. and its affiliates. All rights reserved.

Hoech - WMB 2/14/07 MCI 4100955  
PN 1038667